

# OLWPM-8

## Optical LAN WDM Power Meter

### | Features |

PLC Device
LAN WDM Grid for 100Gbps Application
Automatic 8 channel (Wavelength & Power) measurement at a time
Quick and Easy to operate
Less power consumption
Scan with Color Graph
Save and Recall about 1,000 data
Software Provided for the self-management data
Auto Power-Off



### | Specifications |

Parameter	Unit	Typical
Number of channels	Ch.	8
Channel Frequency	THz	233.0 ~ 227.4
	nm	1286.66 ~ 1318.35
Channel spacing	GHz	800
Measurement Speed	Sec.	<0.8
Measurement range	dBm	+10 ~ -40
Measurement accuracy	dB	±1 @-20dBm
Display resolution	dB	0.01
Optical connector	-	SC/PC (FC, ST, SC, LC adapter)
Battery	-	Li-Polymer, 1800mAh/3.7V
Battery Life	Min.	420 (Fully charged)
Display	-	2.8" TFT-LCD, 16bit Color, 240x320
Operating Temperature	°C	-20 ~ +55
Weight	g	330
Dimension	mm	154.9 x 77.9 x 33.5

For more information on this product or other products now available from PPI, please contact us at [sales@ppitek.com](mailto:sales@ppitek.com)

All information contained herein is believed to be accurate and is subject to change without notice. No responsibility is assumed. © PPI Inc, All rights reserved. REV(14 2)